



Quality Products. Service Excellence.

Center Swing Wall Mount Rack HWMR Series

Heavy Duty 220 lbs Weight Capacity



The Hammond Wall Mount Rack (HWMR) series was designed to easily mount network equipment in IT environments with limited floor space. Unlike similar racks, Hammond has integrated both depth adjustment and center swing capabilities in one rugged open rack system. Available in 12U, 20U, 24U and 32U rack unit options the HWMR can easily adjust in depth from eighteen to twenty-four inches to accommodate a wide range of equipment sizes.

Features

- Constructed of heavy duty 12 gauge steel (braces and rack rail); 16 gauge steel (other body components).
- **Product Update:** Current EIA Square Hole rails being changed to tapped 10-32 rails with rail unit space markers.
- Rack frame swings on center providing convenient equipment access without exceeding the rack footprint.
- Adjustable variable depth from 18" to 24" using slots for easy set-up and adjusting.
- Variable usable depth from 15.1" to 21.1"
 - Top and Bottom rack units have a usable depth from 12.4" to 18.4".
- Three (3) spring pin positions allow for simplified equipment maintenance.
- Side and rear cable access with multiple tie points for cable management.
- Finished in smooth black powder paint.
- Knockdown design ships unassembled for easy handling and shipping protection.
- Tested to nearly double the suggested load rating of 220 lbs (100 kg).
- RoHS Compliant.
- Manufactured in North America.

Included in the Box

- HWMR Components and assembly hardware.
- Assembly Bulletin.
- Wall mounting template for easy 16 inch center installation. (Wall mounting hardware not included)
- Fifty (50) pack of 10-32 screws and cage nuts.

Accessories

• Universal Rack Shelf	• Two Post Mounting Adjustable Shelf
• Two Post Mounting Clamping Shelf	• Two Post Mounting Keyboard & Equipment Shelf
• Adjustable Depth DIN Rail Panel	• Hinged Clear Security Cover
• Outlet Strips	• Rack Panels
• Cable Management	• Rail Mounting Cable Ring
• 10-32 Mounting Screw and Cage Nut Combo-Pack	• Rack Unit Label

Part No.	Overall Dimensions				Rack Units	Mounting (Usable) Dimensions			
	Height	Width	Min Depth	Max Depth		Height	Width	Min Depth	Max Depth

Part No.	Overall Dimensions				Rack		Mounting (Usable) Dimensions		
	Height	Width	Min Depth	Max Depth	Units	Height	Width	Min Depth	Max Depth
HWMR1912UBK	26.50	20.00	18.00	24.00	12U	21.00	19.00	15.10	21.10
HWMR1920UBK	40.50	20.00	18.00	24.00	20U	35.00	19.00	15.10	21.10
HWMR1924UBK	47.50	20.00	18.00	24.00	24U	42.00	19.00	15.10	21.10
HWMR1932UBK	61.50	20.00	18.00	24.00	32U	56.00	19.00	15.10	21.10







Includes a fifty (50) pack of 10-32 screws and cage nuts.

Tags: **Swivel Rack, Swing Gate Rack, Hinged Rack, 2-Post Wall-Mount, Swinging 2-Post, Rotating Equipment Mounting** Data subject to change without notice
Frame, Swing Frame, Hinged Swing Gate

© 2017. Hammond Manufacturing Ltd. All rights reserved.

PART NUMBER	A (Overall Depth)	B (Useable Depth)	C (Top/Btm U Usable)
HWMR1912U	18.0" - 24.0"	15.1" - 21.1"	12.4" - 18.4"

NOTE: DEPTH IS FULLY ADJUSTABLE WITHIN RANGE



Item Number	Title	Quantity
1	HWMR - MAIN SUPPORT BRKT RH	2
2	HWMR - VERT WALL BRKT	2
3	HWMR - MAIN SUPPORT BRKT LH	2
4	HWMR - TOP/BTM SUPPORT	2
5	HWMR - SWING FRAME ASSY	1

PART NUMBERS
HWMR1912UBK PAINTED BLACK THIN FILM

NOTES

Adjustable Depth and Rotating Rack // Mounting Hardware NOT Incl.
Shipped Knock-down, Assembly Hardware Included
See Hammond Website for More Information

Français

Pour tous les détails sur nos produits,
svp veuillez consulter notre site www.hammondmfng.com
Data subject to change without notice. Isometric drawing not to scale.
Les données sont sujettes à changement sans préavis.



HAMMOND
MANUFACTURING®
www.hammondmfng.com



PART NO.

HWMR1912UBK