


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	4RU Bottom		1
2	CLS-632-2	Nuts - Types S, SS, CLS, CLSS, CLA	4
3	Single Lance 399212-40	Bridge Lance .157 ID to OD .394 Flat	5
4	4RU Mount Brkt		2
5	SPM Cover		1
6	91249A146	6-32x.375 Black Oxide, PPH Screw	4
7	91249A244	Black-Oxide Fnsh Pan Head Phil Machine Screw 12-24 Thread, 5/8" long	4

D

C

B


A



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Rackmount Solutions, Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Rackmount Solutions, Inc. IS PROHIBITED.

Dim's not on this dwg are controlled by the cad file

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	Rackmount TITLE: SWPM-4			
		DIMENSIONS ARE IN INCHES	DRAWN	kc				2/18/10
		TOLERANCES:	CHECKED					
		FRACTIONAL ±	ENG APPR.					
		ANGULAR: MACH ± BEND ±1°	MFG APPR.			Q.A.		
		TWO PLACE DECIMAL ± .020	COMMENTS:					
		THREE PLACE DECIMAL ± .010						
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL	16 ga CRS		SIZE DWG. NO. REV			
		FINISH	Black Mini Tex					B SWPM-4 1
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING		SCALE: 1:10			WEIGHT:	SHEET 1 OF 3



DOWN 90.00° R 0.032

DOWN 90.00° R 0.032

Ø 0.201 (4 plcs)

RACKMOUNT
SOLUTIONS
www.rackmountsolutions.net

16ga CRS
SPM Cover

13ga CRS
4RU Mount Brkt

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
Rackmount Solutions, Inc. . ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
Rackmount Solutions, Inc. IS
PROHIBITED.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ± 1°
TWO PLACE DECIMAL ± .020
THREE PLACE DECIMAL ± .010

INTERPRET GEOMETRIC
TOLERANCING PER:
MATERIAL

FINISH
Black Mini Tex

DO NOT SCALE DRAWING

NAME

DATE

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

TITLE:

SWPM-4

SIZE

DWG. NO.

REV

B SWPM-4

1

SCALE: 1:10 WEIGHT:

SHEET 2 OF 3

